


MARICOPA COUNTY

Figure 11.1




The majority of people received most preventive services in the past year. More than nine of ten (96%) had their blood pressure checked by a doctor, nurse, or other health professional. Nearly eight of ten (78%) people had a complete physical exam. Three of four (75%) men received a PSA blood test for prostate cancer. About three of four (74%) people had an eye exam. Seven of ten (69%) women had a mammogram. More than two of three (68%) people received a flu shot in the past year. Only three of ten (29%) people had a hearing test.

Note: Indicator 11 corresponds to Questions 53a-g in the AdvantAge Initiative survey questionnaire.

MARICOPA COUNTY

Figure 11.2




Overall, nearly eight of ten (78%) people had a complete physical exam. Figure 11.2 shows differences by selected demographic characteristics. People with incomes at or above 200% of poverty and those with more than a high school education are more likely than their counterparts to have had a physical exam in the past year (80% vs. 72%; 81% vs. 72%, respectively).

Note: HS=high school; Ex=excellent; vg=very good.

MARICOPA COUNTY

Figure 11.4




Overall, about three of four (74%) people had an eye exam in the past year. Figure 11.4 shows differences by selected demographic characteristics. People with incomes at or above 200% of poverty are more likely than those with lower incomes to have had an eye exam (77% vs. 65%). Differences are small within the other demographic categories.

Note: HS=high school; Ex=excellent; vg=very good.

MARICOPA COUNTY

Figure 11.6




Overall, more than two of three (68%) people received a flu shot in the past year. Figure 11.6 shows differences by selected demographic characteristics. People age 75+ and those with incomes at or above 200% of poverty are more likely than their counterparts to have had a flu shot in the past year (74% vs. 61%; 74% vs. 59%, respectively).

Note: HS=high school; Ex=excellent; vg=very good.

MARICOPA COUNTY

Figure 11.3




Three of four (75%) men received a PSA blood test for prostate cancer. Figure 11.3 shows differences by selected demographic characteristics. Men with incomes at or above 200% of poverty are more likely than those with lower incomes to have had a PSA blood test (79% vs. 64%). Differences are small within the other demographic categories.

Note: HS=high school; Ex=excellent; vg=very good.

MARICOPA COUNTY

Figure 11.5




Seven of ten (69%) women had a mammogram in the past year. Figure 11.5 shows differences by selected demographic characteristics. Women age 65-74 and those with incomes at or above 200% of poverty are more likely than their counterparts to have had a mammogram in the past year (75% vs. 65%; 79% vs. 59%, respectively). The differences within the other demographic categories are within the margin of error due to the small size of the subgroups.

Note: HS=high school; Ex=excellent; vg=very good.

MARICOPA COUNTY

Figure 11.7



Overall, only three of ten (29%) people had a hearing test. Figure 11.7 shows differences by selected demographic characteristics. People age 75+ are more likely than those age 65-74 to have had a hearing test in the past year (34% vs. 24%). Differences are small within the other demographic categories.

Note: HS=high school; Ex=excellent; vg=very good.